

BUILDING
ENVELOPE
PRODUCTS



PROVIDING A FULL BUILDING
ENVELOPE
SYSTEM

Control Moisture Movement with
Our Patented Technology

W. R. MEADOWS®
SEALTIGHT



Whatever Your Needs...

WE HAVE THE SOLUTION

Methods of controlling moisture in building construction have become extremely important to owners, specifiers, and contractors. The objective of controlling moisture movement is to prevent building envelope problems before they occur – and save the building owner unnecessary maintenance and energy costs.

Fortunately, as building science has evolved, W. R. MEADOWS has developed many effective products which specifically meet the building designer's requirement for addressing and controlling moisture movement.

One of the more complicated issues today in building science is addressing moisture movement through the building envelope – both above and below ground. Not only does building design have to recognize that moisture movement will occur, but it must also factor in climate, workmanship, durability, and a range of other important variables.

Moisture can enter the building in a number of ways – underneath the concrete slab, through the below-grade vertical walls of the building foundation, and through the above-grade walls and roof of the structure. But W. R. MEADOWS is your guardian of the structure. Since 1926, we've been developing products that will protect your structure from this moisture infiltration.

W. R. MEADOWS GREEN BUILDING ENVELOPE SYSTEM



MEL-ROL® LM
Liquid Waterproofing
Membrane



MEL-ROL
Rolled, Self-Adhering
Waterproofing Membrane



PERMINATOR®
10 and 15 Mil
Underslab Vapor Barrier



AIR-SHIELD™
Air/Vapor and Liquid
Moisture Barrier
(Vapor Permeable Version Available)



AIR-SHIELD
LIQUID FLASHING
Liquid Flashing Membrane



PRECON®
Pre-Applied/Underslab
Waterproofing Membrane

VAPOR BARRIERS

Uncontrolled water vapor through concrete slabs has cost building owners, designers and contractors billions of dollars. This moisture infiltration into structures contributes to the proliferation of mold, mildew and fungus and leads to flooring system failures, including adhesive failures, warping, blistering and staining. In addition, water vapor migration carrying alkali can cause structural failure of the concrete when reinforcing steel is present. W. R. MEADOWS

offers the following vapor barriers to help control the damaging influx of water vapor:

For more detailed information on our products, please see our **Vapor Barriers #BR-4** brochure. W. R. MEADOWS also produces a full-line of accessories to be used with these products, including adhesives, mastics, and tapes.



PERMINATOR

10 and 15 Mil Underslab Vapor Barrier

- Available in 10 mil and 15 mil thicknesses, in 200' (61 m) long rolls
- Helps reduce the penetration of moisture and water vapor through the slab into the structure
- Helps reduce fungus, mildew, and mold



PREMOULDED MEMBRANE[®] VAPOR SEAL WITH PLASMATIC[®] CORE (PMPC)

Vaporproofing/Waterproofing Membrane

- A virtually impermeable vaporproofing system with a perm rating of less than 0.002 perms, lowest in the industry
- The only true vapor barrier for horizontal applications, both waterproof and vaporproof
- Provides excellent tensile strength and puncture resistance



PRECON

Pre-Applied/Underslab Waterproofing Membrane

- Provides a waterproof seal between the membrane and poured concrete wall
- Helps prevent moisture migration into the structure
- Acts as a barrier against termites

WATER PROOFING

Any time a concrete slab comes in contact with the soil surrounding the structure - whether in-slab on-grade construction, basements or crawlspaces - water intrusion is a common problem. These spaces are interrupting the hydrological cycle and are continuously combating water runoff

and moisture movement through the soil. W. R. MEADOWS provides a variety of waterproofing solutions, including liquid-applied, sheet-applied, and drainage systems, that will help block moisture from entering the structure.



BEM

One-Component Detail Membrane

- Bonds to asphalt and concrete
- Solvent-free; will not shrink
- Skins over in 50 minutes



HRM 714

Hot-Applied Rubberized Waterproofing Membrane

- Blends toughness with low temperature flexibility
- Very low absorption and vapor permeance
- Prevents overheating rubber degradation



MEL-DRAIN™

Rolled Matrix Drainage System

- High flow capacity, without clogging
- Relieves hydrostatic pressure buildup
- High compressive strength



MEL-ROL LM

Single-Component, Water-Based, Polymer-Modified, Cold-Applied, Waterproofing Membrane

- Bonds to green concrete
- Will not become brittle with age



PRECON

Pre-Applied/Underslab Waterproofing Membrane

- Provides lowest water vapor transmission (WVT) rating
- May be used in horizontal applications for both underslab waterproofing and vaporproofing



VIBRAFLEX®

Asphaltic Panel Bridge Deck Protection Course

- Save 40 to 60% compared to plank products
- Fewer joints eliminate infiltration of fines and resulting damage



HYDRALASTIC 836

Cold-Applied, Single-Component Waterproofing

- Low odor, low shrinkage
- Bonds to both concrete and asphalt
- Skins over in 30 minutes; no dust pick up



MEL-DEK™

Deck Waterproofing System

- Can withstand hot asphalt overlays
- Membrane-to-membrane weld at seams for positive, monolithic protection



MEL-DRAIN TOTAL-DRAIN™

Prefabricated Soil Drain System

- Replaces pipe and stone perimeter drain systems
- High collection and flow capacity
- Secure flow path eliminates water exit and re-entry



MEL-ROL

Rolled, Self-Adhering Waterproofing Membrane

- Easy-to-apply system for maximum productivity
- Provides additional overlap security



PROTECTION COURSE

Waterproofing Protection

- Tough, durable and lightweight
- Full width fiberglass matting improves flexural strength
- Highly resistant to chemical action

AIR BARRIERS

Uncontrolled air leakage through the building envelope will affect the performance of the building materials within the wall assembly. Air will move through the building if there is a pressure difference across the building envelope. As a result, any hole or penetration in the building envelope can allow moisture-laden air to move through the wall. To prevent air movement through an exterior wall, a continuous air barrier system (or airflow retarder) must be installed.

For this purpose, W. R. MEADOWS has designed and manufactures the AIR-SHIELD line of air barriers.

The following options are available:

For more detailed information on our line of products, please see our **AIR-SHIELD #BR-2** brochure. We also produce a full-line of accessories to be used with these products, including adhesives, flashings, and fabrics.



AIR-SHIELD

Self-Adhering Air/Vapor and Liquid Moisture Barrier

- Low permeability – prevents transmission of air and inhibits moisture vapor through porous building materials
- Provides a complete above-grade air, vapor, and water barrier on a variety of construction materials
- Controlled thickness membrane is ideal for air barrier applications



AIR-SHIELD LM

Liquid Membrane Air/Vapor and Liquid Moisture Barrier

- Seamless application
- Low permeability: prevents transmission of air and inhibits moisture and vapor from passing through porous building materials
- Highly flexible: bridges cracks, which may form in the substrate



AIR-SHIELD LMP

Liquid Membrane Vapor Permeable Air Barrier

- Non-asphaltic: designed to meet stringent fire wall codes and requirements
- High permeability: allows transmission of moisture vapor through porous building materials
- Highly flexible: bridges cracks, which may form in the substrate
- UV resistant



AIR-SHIELD LSR

Liquid Membrane Air/Vapor and Liquid Moisture Barrier

- Non-asphaltic: designed to meet stringent fire wall codes and requirements
- Low permeability: prevents transmission of air and inhibits moisture and vapor from passing through porous building materials
- Highly flexible: bridges cracks, which may form in the substrate




AIR-SHIELD TMP

Liquid Membrane Thin Film Permeable Air Barrier

- High permeability: allows the transmission of moisture vapor through porous building materials
- Highly flexible: bridges cracks, which may form in the substrate
- UV resistant

About W. R. MEADOWS



W. R. MEADOWS building envelope products are part of the whole system design to help with energy efficiency and indoor air quality of a building. In addition, our products also will help contribute to LEED credits, providing a green option. Our materials are manufactured throughout the country, feature very low volatile organic content (VOC), and are manufactured using recycled materials. To see what LEED credits each product contributes towards, visit our LEED Credit Chart available at www.wrmeadows.com or generate paperwork and information through our LEED Credit Calculator available at <http://calculator.wrmeadows.com>

Our qualified building professionals are also available for visits and AIA-accredited presentations. To earn AIA learning units for your personnel, or to schedule an appointment to discuss our building envelope materials, call your local sales office at (800) 342-5976 or email us directly at info@wrmeadows.com.

Our website features guide specifications, LEED credit information, safety data sheets, project profiles, and more. You can also visit our website to view data sheets and view and order additional informational brochures. Visit www.wrmeadows.com to learn more.

Follow us on social media to see the latest and greatest news from W. R. MEADOWS. We'll announce our latest products, technology updates, and construction news. Follow us on Twitter, like us on Facebook, connect with us on LinkedIn, and subscribe to our channel on YouTube.

Guardian of the Structure



W. R. MEADOWS®

SEALTIGHT®

A Family Company Since 1926

QUALITY...SERVICE...INTEGRITY

800.342.5976
wrmeadows.com
info@wrmeadows.com

 facebook.com/wrmeadows

 twitter.com/wrmeadows

P.O. Box 338, HAMPSHIRE, IL 60140
P: 800.342.5976
F: 847.683.4544